# Security Communication RootCA Subordinate CA Certificate Policy

September 25, 2019 Version 5.14

SECOM Trust Systems Co., Ltd.

© 2003 SECOM Trust Systems Co., Ltd.

Version History			
Version	Date	Description	
Number			
V1.00	2003.09.29	Publication of the first version	
V2.00	2004.11.08	Major version upgrade	
		Separation of the Security Communication RootCA1	
		Certificate Policy (CP)/Certification Practice Statement	
		(CPS) document into the independent CP and CPS	
		documents, with new publication of the Security	
		Communication RootCA1 CP	
		Revision of the descriptions	
V3.00	2006.05.22	"SECOM TrustNet" was renamed to "SECOM Trust	
		Systems" after the merger.	
		"SECOM TrustNet Security Policy Committee " was	
		renamed as "Certification Services Improvement	
		Committee."	
V4.00	2009.05.29	Major version upgrade	
		Renaming of "Security Communication RootCA1 CP" to	
		"Security Communication RootCA CP" and addition of the	
		CA Private Key "Security Communication RootCA2"	
V4.10	2012.02.15	Addition of "4.6 Certificate Renewal" procedure	
V4.20	2012.11.09	Amendment associated with commencement of the OCSP	
		server operations	
V4.30	2015.03.20	Addition of the signature algorithm used	
		Revision of the descriptions	
V5.00	2016.06.01	Major version upgrade	
		Addition of the CA Private Key "Security Communication	
		RootCA3"	
		Addition of the CA Private Key "Security Communication	
		ECC RootCA1"	
V5.10	2017.05.23	Overall revision of the descriptions and styles	
V5.11	2018.11.28	Overall revision of the descriptions and styles	
V5.12	2019.03.12	Revision of 7.1.2 and 7.1.5	
V5.13	2019.05.24	Overall revision of the descriptions and styles	
V5.14	2019.09.25	Addition of OID for EV certificate use	

Table of Contents	
1. Introduction	. 1
1.1 Overview	. 1
1.2 Document Name and Identification	. 1
1.3 PKI Participants	. 2
1.3.1 Certification Authorities	. 2
1.3.2 Registration Authorities	. 2
1.3.3 Subscribers	. 2
1.3.4 Relying Parties	. 2
1.3.5 Other Participants	. 3
1.4 Certificate Usage	. 3
1.4.1 Appropriate Certificate Uses	. 3
1.4.2 Prohibited Certificate Uses	. 3
1.5 Policy Administration	. 3
1.5.1 Organization Administering the Document	. 3
1.5.2 Contact Information	. 3
1.5.3 Person Determining CP Suitability for the Policy	. 3
1.5.4 Approval Procedure	. 3
1.6 Definitions and Acronyms	. 4
2. Publication and Repository Responsibilities	. 8
2.1 Repository	. 8
2.2 Publication of Certificate Information	. 8
2.3 Time or Frequency of Publication	. 8
2.4 Access Controls on Repositories	. 8
3. Identification and Authentication	. 9
3.1 Naming	. 9
3.1.1 Types of Names	. 9
3.1.2 Need for Names to Be Meaningful	. 9
3.1.3 Anonymity or Pseudonymity of Subscribers	. 9
3.1.4 Rules for Interpreting Various Name Forms	. 9
3.1.5 Uniqueness of Names	. 9
3.1.6 Recognition, Authentication, and Roles of Trademarks	. 9
3.2 Initial Identity Validation	. 9
3.2.1 Method to Prove Possession of Private Key	. 9
3.2.2 Authentication of Organization Identity	10
3.2.3 Authentication of Individual Identity	10
3.2.4 Non-Verified Subscriber Information	10
3.2.5 Validation of Authority	10
3.2.6 Criteria for Interoperation	10
3.3 Identification and Authentication for Re-Key Requests	10

@ 2003 SECOM Trust Systems Co., Ltd.

3.3.1 Identification and Authentication for Routine Re-Key	10
3.3.2 Identification and Authentication for Re-Key after Revocation	10
3.4 Identification and Authentication for Revocation Requests	10
4. Certificate Life-Cycle Operational Requirements	11
4.1 Certificate Application	11
4.1.1 Who Can Submit a Certificate Application	11
4.1.2 Enrollment Process and Responsibilities	11
4.2 Certificate Application Processing	11
4.2.1 Performing Identification and Authentication Functions	11
4.2.2 Approval or Rejection of Certificate Applications	11
4.2.3 Time to Process Certificate Applications	11
4.3 Certificate Issuance	11
4.3.1 CA Actions during Certificate Issuance	11
4.3.2 Notifications to Subscriber of Certificate Issuance	11
4.4 Certificate Acceptance	12
4.4.1 Conduct Constituting Certificate Acceptance	12
4.4.2 Publication of the Certificate by the CA	12
4.4.3 Notification of Certificate Issuance by the CA to Other Entities	12
4.5 Key Pair and Certificate Usage	12
4.5.1 Subscriber Private Key and Certificate Usage	12
4.5.2 Relying Party Public Key and Certificate Usage	12
4.6 Certificate Renewal	12
4.6.1 Circumstances for Certificate Renewal	12
4.6.2 Who May Request Renewal	12
4.6.3 Processing Certificate Renewal Requests	13
4.6.4 Notification of New Certificate Issuance to Subscriber	13
4.6.5 Conduct Constituting Acceptance of a Renewal Certificate	13
4.6.6 Publication of the Renewal Certificates by the CA	13
4.6.7 Notification of Certificate Issuance by the CA to Other Entities	13
4.7 Certificate Re-Key	13
4.7.1 Circumstances for Certificate Re-Key	13
4.7.2 Who May Request Certification of a New Public Key	13
4.7.3 Processing Certificate Re-Keying Requests	13
4.7.4 Notification of New Certificate Issuance to Subscriber	13
4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate	13
4.7.6 Publication of the Re-Keyed Certificate by the CA	13
4.7.7 Notification of Certificate Issuance by the CA to Other Entities	14
4.8 Certificate Modification	14
4.8.1 Circumstances for Certificate Modification	14
4.8.2 Who May Request Certificate Modification	

4.8.3 Processing Certificate Modification Requests	
4.8.4 Notification of New Certificate Issuance to Subs	criber14
4.8.5 Conduct Constituting Acceptance of Modified Ce	ertificate14
4.8.6 Publication of the Modified Certificate by the CA	A 14
4.8.7 Notification of Certificate Issuance by the CA to	Other Entities14
4.9 Certificate Revocation and Suspension	
4.9.1 Circumstances for Certificate Revocation	
4.9.2 Who Can Request Revocation	
4.9.3 Procedure for Revocation Request	
4.9.4 Revocation Request Grace Period	
4.9.5 Time within Which CA Shall Process the Revoca	tion Request15
4.9.6 Revocation Checking Requirements for Relying	Parties15
4.9.7 CRL Issuance Frequency	
4.9.8 Maximum Latency for CRLs	
4.9.9 On-Line Revocation/Status Checking Availabilit	y16
4.9.10 On-Line Revocation/Status Checking Requirem	nents16
4.9.11 Other Forms of Revocation Advertisements Ava	ailable16
4.9.12 Special Requirements Regarding Key Compror	nise16
4.9.13 Circumstances for Suspension	
4.9.14 Who Can Request Suspension	
4.9.15 Procedure for Suspension Request	
4.9.16 Limits on Suspension Period	
4.10 Certificate Status Services	
4.10.1 Operational Characteristics	
4.10.2 Service Availability	
4.10.3 Optional Features	
4.11 End of Subscription (Registry)	
4.12 Key Escrow and Recovery	
4.12.1 Key Escrow and Recovery Policy and Practices	
4.12.2 Session Key Encapsulation and Recovery Polic	y and Practices 17
5. Facility, Management, and Operational Controls	
5.1 Physical Controls	
5.2 Procedural Controls	
5.3 Personnel Controls	
5.4 Audit Logging Procedures	
5.5 Records Archival	
5.6 Key Changeover	
5.7 Compromise and Disaster Recovery	
5.8 CA or RA Termination	
6. Technical Security Controls	

@ 2003 SECOM Trust Systems Co., Ltd.

6.1 Key Pair Generation and Installation	. 19
6.2 Private Key Protection and Cryptographic Module Engineering Controls	. 19
6.3 Other Aspects of Key Pair Management	. 19
6.4 Activation Data	. 19
6.5 Computer Security Controls	. 19
6.6 Life-Cycle Technical Controls	. 19
6.7 Network Security Controls	. 19
6.8 Time-Stamping	. 19
7. Certificate, CRL, and OCSP Profiles	. 20
7.1 Certificate Profile	. 20
7.1.1 Version Number(s)	. 20
7.1.2 Certificate Extensions	. 20
7.1.3 Algorithm Object Identifiers	. 26
7.1.4 Name Forms	. 27
7.1.5 Name Constraints	. 27
7.1.6 Certificate Policy Object Identifier	. 27
7.1.7 Usage of Policy Constraints Extension	. 27
7.1.8 Policy Qualifiers Syntax and Semantics	. 27
7.1.9 Processing Semantics for the Critical Certificate Policies Extension	. 27
7.2 CRL Profile	. 28
7.2.1 Version Number(s)	. 28
7.2.2 CRL and CRL Entry Extensions	. 28
7.3 OCSP Profile	. 28
7.3.1 Version Number(s)	. 28
7.3.2 OCSP Extensions	. 28
8 Compliance Audit and Other Assessments	. 29
8.1 Frequency and Circumstances of Assessment	. 29
8.2 Identity/Qualifications of Assessor	. 29
8.3 Assessor's Relationship to Assessed Entity	. 29
8.4 Topics Covered by Assessment	. 29
8.5 Actions Taken as a Result of Deficiency	. 29
8.6 Communication of Results	. 29
9. Other Business and Legal Matters	. 30
9.1 Fees	. 30
9.1.1 Certificate Issuance or Renewal Fees	. 30
9.1.2 Certificate Access Fees	. 30
9.1.3 Revocation or Status Information Access Fees	. 30
9.1.4 Fees for Other Services	. 30
9.1.5 Refund Policy	. 30
9.2 Financial Responsibility	. 30

@ 2003 SECOM Trust Systems Co., Ltd.

9.2.1 Insurance Coverage	. 30
9.2.2 Other Assets	. 30
9.2.3 Insurance or Warranty Coverage for End-Entities	. 30
9.3 Confidentiality of Business Information	. 30
9.3.1 Scope of Confidential Information	. 30
9.3.2 Information Not Within the Scope of Confidential Information	. 31
9.3.3 Responsibility to Protect Confidential Information	. 31
9.4 Privacy of Personal Information	. 31
9.5 Intellectual Property Rights	. 31
9.6 Representations and Warranties	. 32
9.6.1 CA Representations and Warranties	. 32
9.6.2 RA Representations and Warranties	. 32
9.6.3 Subscriber Representations and Warranties	. 32
9.6.4 Relying Party Representations and Warranties	. 33
9.6.5 Representations and Warranties of Other Participants	. 33
9.7 Disclaimers of Warranties	. 33
9.8 Limitations of Liability	. 33
9.9 Indemnities	. 34
9.10 Term and Termination	. 34
9.10.1 Term	. 34
9.10.2 Termination	. 34
9.10.3 Effect of Termination and Survival	. 34
9.11 Individual Notices and Communications with Participants	. 34
9.12 Amendments	. 35
9.12.1 Procedure for Amendment	. 35
9.12.2 Notification Mechanism and Period	. 35
9.12.3 Circumstances under Which OID Must Be Changed	. 35
9.13 Dispute Resolution Provisions	. 35
9.14 Governing Law	. 35
9.15 Compliance with Applicable Law	. 36
9.16 Miscellaneous Provisions	. 36
9.16.1 Entire Agreement	. 36
9.16.2 Assignment	. 36
9.16.3 Severability	. 36
9.16.4 Enforcement	. 36
9.16.5 Force Majeure	. 36
9.17 Other Provisions	. 36

# 1. Introduction

# 1.1 Overview

Security Communication RootCA Subordinate CA Certificate Policy (hereinafter, "this CP") is a document that defines operational policies for the subordinate CA certificates (hereinafter, "Certificates") issued by Security Communication RootCA1, Security Communication RootCA2, Security Communication RootCA3 as well as Security Communication ECC RootCA1 (hereinafter collectively, "the CAs") that are all operated by SECOM Trust Systems Co., Ltd. (hereinafter, "SECOM"), by specifying the purpose of use, the scope of application and the user procedures for the Certificates. Various procedures regarding the operation and maintenance of the CAs are stipulated in the Security Communication RootCA Certification Practice Statement (hereinafter, "CPS").

SECOM provides the certification services as the CAs, including the CA key administration as well as issuance/revocation of Certificates (hereinafter, "the Services"). The Certificates issued by the CAs prove and certify the unique correspondence between the subjects of the issuance and their public keys.

The CAs conform to the CA/Browser Forum provisions disclosed at https://www.cabforum.org/.

Any provisions in this CP inconsistent with the CPS shall prevail and any provisions in a separate agreement or the like between the subscribers and SECOM inconsistent with this CP or the CPS shall prevail.

This CP shall be revised as necessary in order to reflect any technical or service developments or improvements pertaining to the CA operations.

This CPS conforms to the RFC3647 "Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework" advocated by the IETF as a CA practice framework.

1.2 Document Name and Identification

The official name of this CP is "Security Communication RootCA Subordinate CA Certificate Policy". SECOM, which is the provider and operational body of the Services, uses the Object IDentifier (hereinafter, "OID") assigned by ISO, given in the Table "1.2-1 OID (SECOM)" below.

Name of organization	OID
SECOM Trust Systems Co., Ltd.	1.2.392.200091

Table 1.2-1	OID	(SECOM)
-------------	-----	---------

This CP is identified with the Object IDentifier (hereinafter, "OID") given in "Table 1.2-2 OID (This CP)"

СР	OID	
Security Communication RootCA1	1.2.392.200091.100.901.1	
Security Communication RootCA2	1.2.392.200091.100.901.4	
Security Communication RootCA3	1.2.392.200091.100.901.6	
Security Communication ECC RootCA1	1.2.392.200091.100.902.1	

#### Table 1.2-2 OID (This CP)

The OID of the CPS associated with this CP is given in Table 1.2-3 OID (The CPS) Table 1.2-3 OID (The CPS)

CPS	OID	
Security Communication RootCA Certification Practice	1.2.392.200091.100.901.3	
Statement	1.2.302.200001.100.001.9	

# 1.3 PKI Participants

# 1.3.1 Certification Authorities

A CA mainly issues or revokes Certificates, publishes CRLs (Certificate Revocation Lists), and stores and provides information on Certificate status using the OCSP server.

# 1.3.2 Registration Authorities

An RA mainly performs identification, authentication, as well as assessment of the operation rules of the subscriber organizations or institutions when such a Certificate request as issuance or revocation is submitted.

#### 1.3.3 Subscribers

Subscribers are organizations or institutions that generate Key Pairs in their own rights, to which Certificates are issued by the CAs. They are qualified as Subscribers upon accepting the issued Certificates after submitting the Certificate applications to the CAs. Subscribers must assess this CP and the CPS in light of their usage purposes, and agree thereto.

# 1.3.4 Relying Parties

Relying Parties are the entities that authenticate the validity of Certificates issued by

the CAs. Relying Parts are assumed to be performing the authentication and placing trust upon confirming and agreeing to the contents of this CP and the CPS in light of the Relying Parties' own purposes of use.

1.3.5 Other Participants No stipulation

1.4 Certificate Usage

1.4.1 Appropriate Certificate Uses

The CAs are the Certification Authorities functioning as top of the Subordinate CAs and issue Subordinate CA Certificates as Subscriber Certificates. Relying Parties that trust and use the Certificates may authenticate the reliability of such Certificates using the CA public key Certificates.

1.4.2 Prohibited Certificate Uses

Certificates issued by the CAs may not be used for purposes other than those set forth in this CP.

1.5 Policy Administration

1.5.1 Organization Administering the Document This CP is maintained and administered by SECOM.

1.5.2 Contact Information

Inquiries concerning this CP should be directed to:

	CA Support Center, SECOM Trust Systems Co., Ltd.
Address:	8-10-16 Shimorenjaku, Mitaka-shi, Tokyo 181-8528
E-mail Address	ca-support@secom.co.jp

1.5.3 Person Determining CP Suitability for the Policy

Suitability of this CP as the CAs' practice policy is determined by SECOM's Certification Services Improvement Committee.

1.5.4 Approval Procedure

This CP shall be published in the repository as developed and revised under approval of the SECOM Certification Services Improvement Committee.

## 1.6 Definitions and Acronyms

## Audit Log

Behavioral, access and other histories pertaining to the CA systems which are recorded for inspection of access to and unauthorized operation of the CA systems.

# CA

CA stands for Certification Authority, an entity that mainly issues, renews and revokes Certificates, generates and protects CA Private Keys, and registers Subscribers.

# CA/Browser Forum

An NPO organized by CAs and Internet browser vendors that works to define and standardize the Certificate issuance requirements.

## <u>Certificate</u>

The word "Certificate" is simply used to indicate a digital certificate in this CPS, which is the electronic data certifying that a public key is owned by the party specified therein. The validity of a Certificate is certified by the digital signature of the relevant CA affixed thereto.

# Certification Services Improvement Committee

The decision making body for the operational policy of the Services, including administration of this CP and modification reviews.

# $\underline{CP}$

CP stands for Certificate Policy, a document that sets forth the policy regarding the Certificates.

## $\underline{\mathrm{CPS}}$

CPS stands for Certification Practice Statement, which sets forth provisions to be followed in providing and subscribing to the Services, including applications of digital Certificates, application reviews, and issuance/revocation/storage/publication of Certificates by the CAs.

#### CRL

CRL stands for Certificate Revocation List, which records the list of Certificates revoked by the CAs.

#### CSR

CSR stands for Certificate Signing Request, a data file on which the digital certificate issuance is based. A CSR contains the public key of the entity requesting the Certificate signing, to which the issuer's digital signature is affixed upon the issuance thereof.

#### **Digital Signature/Signing**

A digital data to prove that a specific individual is the author of a specific digital documentation. It is a signature representing that the reliability of the information contained in such documentation is certified by the author.

## Escrow

Escrow means the placement (entrustment) of an asset in the control of an independent third party.

## <u>Key Pair</u>

A Key Pair consists of a private key and a public key in the public key cryptosystem.

## Major Version Number

A number to be given to a revision of this CP (e.g., the underlined digit [1] of Version 1.02) whose magnitude of the amendment(s) thereof is considered to have an obvious impact on the use of the Certificates and the CRLs by Subscribers and Relying Parties.

#### Minor Version Number

A number to be given to a revision of this CP (e.g., the underlined digit [02] of Version 1.02) whose magnitude of the amendment(s) thereof is considered to have no or less impact on the use of the Certificates and the CRLs by Subscribers and Relying Parties.

#### OCSP (Online Certificate Status Protocol)

A protocol for real-time provision of information on Certificate status.

# OID

OID stands for Object IDentifier. OIDs are registered in the registration institutions (ISO and ITU) as globally unique IDs. The IDs registered as OIDs are used for such parameters as algorithms used in the PKI, types (attributes like [Country name]) of the names (subject) to be included in the digital Certificates.

#### PKI (Public Key Infrastructure)

An infrastructure for use of the encryption technology known as the public key

cryptosystem to realize such security technologies as digital signature, encryption and certification.

## Private Key

A key comprising a Key Pair used in the public key cryptosystem, which corresponds to a public key and is possessed only by the relevant Subscriber.

#### Public Key

A key of a Key Pair used in the Public Key cryptosystem. A Public Key corresponds to the Private Key and is published.

## RA

RA stands for Registration Authority, an entity that conducts qualifications (identification and authentication) among the CA operations in the Services.

## Repository

The storage for such data as Certificates issued by the CAs. The Repository is a mechanism to allow access by the users or applications to the Certificates from any point in the network. CRLs as well as this CP are also stored in the Repository.

#### RFC3647 (Request for Comments 3647)

A document defining the framework for CP and CPS published by the IETF (The Internet Engineering Task Force), an industry group which establishes technical standards for the Internet.

#### RSA

One of the most standard encryption technologies widely used in the Public Key cryptosystem.

#### Root CA

The Security Communication RootCA described in this CP is an institute owned and run by SECOM as a Root CA that issues the subordinate CA Certificates and functions as top of the subordinate CAs.

# SHA-1 (Secure Hash Algorithm 1)

A hash function used in digital signing. A hash function is a computation technique for generating a fixed-length string from a given text. The hash length is 160 bits. The algorithm works to detect any alterations in the original message during the transmission by comparing the hash values transmitted and received.

## $\underline{SHA-2}$

A Secure Hash Algorithm family function used in digital signing and the improved version of SHA-1. The size of the SHA-256 and SHA-384 described in this CP are respectively 256 and 384 bits. The algorithm works to detect any alterations in the original message during the transmission by comparing the hash values transmitted and received.

## Subordinate CA

A CA trusted and signed by the CAs.

# WebTrust for CA

Standards of internal control and a certification framework based thereon established by the American Institute of Certified Public Accountants (AICPA) and the Canadian Institute of Chartered Accountants (CICA) regarding the reliability of CAs, the security of electronic commerce transactions, and other relevant matters.

## <u>X.500</u>

X.500 is a series of directory standards that was developed by ITU-T in order to provide a range of services from the name and address lookup to the query by attribute value. The X.500 Distinguished Names (DN) will be used for the names of the X.509 Issuers and Subjects.

#### <u>X.509</u>

The Certificate and CRL formats set forth by X.509 ITU-T. With [X.509 v3 (Version 3)], extension fields were additionally defined for storage of optional data.

2. Publication and Repository Responsibilities

2.1 Repository Stipulated in the CPS.

2.2 Publication of Certificate Information Stipulated in the CPS.

2.3 Time or Frequency of Publication Stipulated in the CPS.

2.4 Access Controls on Repositories Stipulated in the CPS.

## 3. Identification and Authentication

## 3.1 Naming

# 3.1.1 Types of Names

The Certificate issuer name and the name of the issuance subject Subscriber are configured according to the X.500 Distinguished Name (DN) format as well as provisions in "7.1.4 Name Forms" hereof.

## 3.1.2 Need for Names to Be Meaningful

The Distinguished Names assigned to Subscribers shall be meaningful, and the Subjects' names specified in Certificates shall have association with the organizations or the institutions to an appropriate extent. Subscribers shall not submit Certificate applications with third parties' trademarks or associated names to the CAs.

3.1.3 Anonymity or Pseudonymity of Subscribers

No anonym nor pseudonym shall be used as Subject names specified in Certificates.

3.1.4 Rules for Interpreting Various Name Forms

DNs are interpreted as defined in "3.1.1 Types of Names" and "3.1.2 Need for Names to Be Meaningful" hereof.

#### 3.1.5 Uniqueness of Names

The uniqueness of each subject name in Certificates shall be enforced across the Certificates issued by the CAs.

# 3.1.6 Recognition, Authentication, and Roles of Trademarks

Rights to use the trademarks shall be reserved by the trademark owners. The CAs may, as necessary, require the trademark owners to present such official documentation as the submission for the trademark.

3.2 Initial Identity Validation

3.2.1 Method to Prove Possession of Private Key

The signature on the relevant CSR made by a Subscriber is authenticated to prove that such CSR is signed with the Private Key corresponding to the Public Key contained therein. In addition, the fingerprint of the CSR is inspected to identify the Public Key owner.

## 3.2.2 Authentication of Organization Identity

Subscribers shall provide the CAs with the following information in submitting a Certificate Application:

- Certificate Application Form;
- records or information to prove the (legal) existence of the organization or institution;
- CSR; and
- other documentation required by SECOM.

The CAs use the provided information to make sure that there is no inaccuracy or missing information in the application.

3.2.3 Authentication of Individual Identity The CAs will not issue Certificates to individuals.

3.2.4 Non-Verified Subscriber Information

The CAs will not verify "Organizational Unit" with the documentary submission of the Certificate application by Subscribers and the CSR information.

## 3.2.5 Validation of Authority

Representatives, employees or agents of Subscriber organizations or institutions who submit information about such organizations or institutions are authenticated by the CAs to prove that they have the legitimate authority to do so.

3.2.6 Criteria for Interoperation No stipulation

3.3 Identification and Authentication for Re-Key Requests

3.3.1 Identification and Authentication for Routine Re-Key The procedure set forth in "3.2 Initial Identity Validation" hereof shall be followed.

3.3.2 Identification and Authentication for Re-Key after Revocation The procedure set forth in "3.2 Initial Identity Validation" hereof shall be followed.

3.4 Identification and Authentication for Revocation Requests When a Certificate revocation request is accepted, legitimacy of the request is authenticated by the CAs based on the submitted Subscriber information.

## 4. Certificate Life-Cycle Operational Requirements

4.1 Certificate Application

4.1.1 Who Can Submit a Certificate Application

A Certificate Application can be submitted by representatives, employees or agents of the applicant organizations or institutions.

4.1.2 Enrollment Process and Responsibilities

Subscribers shall follow the procedure notified by the CAs in advance in submitting the Certificate Applications. In doing so, the Subscribers are assumed to have agreed to the provisions in this CP, the CPS, and other documents disclosed by the CAs.

Subscribers must certify that the Certificate Application information submitted to the CAs is accurate.

4.2 Certificate Application Processing

## 4.2.1 Performing Identification and Authentication Functions

Accepting the applications by the Subscribers, the documentary submissions as well as the CSR are authenticated by the CAs in accordance with "3.2 Initial Identification and Authentication" hereof.

# 4.2.2 Approval or Rejection of Certificate Applications

The CAs decide approval or rejection of the Certificate Applications according to the prescribed authentication procedure for the Subscribers' submissions, and notify the Subscribers of the results thereof.

#### 4.2.3 Time to Process Certificate Applications

The CAs promptly issue Certificates once the CSRs submitted by the Subscribers are approved.

4.3 Certificate Issuance

# 4.3.1 CA Actions during Certificate Issuance

The CAs issue Certificates containing the CA Private Key signature for the Public Key of the CSR submitted by the Subscriber conforming to "7.1 Certificate Profile" hereof.

4.3.2 Notifications to Subscriber of Certificate Issuance

After completing the issuance of Certificates for approved Certificate Applications, the CAs store the issued Certificates on external memory media, seal them together with

the receipts, and then personally deliver or just send them to the Subscribers.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

Subscribers must send the receipts to the CAs upon confirming how the Certificate is populated and no deficiency therein, while the CAs assume the Certificate Acceptance is complete upon receiving such receipts. Subscribers must promptly notify the CAs if any deficiency is found in how the Certificate is populated. Any claims thereon must be made within fourteen (14) days of the date the Certificate is sent.

4.4.2 Publication of the Certificate by the CA

As a rule, the CAs do not publish Certificates of the Subordinate CA Subscribers.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities The CAs will not issue Certificates to individuals.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

The usage of Certificates issued by the CAs and Private Keys possessed by Subscribers is restricted to those specified for the services and products provided by the Subscribers of the CAs having contractual relationship with SECOM. Certificates issued by the CAs shall not be used otherwise.

# 4.5.2 Relying Party Public Key and Certificate Usage

Relying Parties shall acknowledge and agree to the provisions of this CP and the CPS before using and authenticating the Certificates issued by the CAs.

4.6 Certificate Renewal

4.6.1 Circumstances for Certificate Renewal

Certificate Renewal means to issue a new Certificate for continuous use of the Certificate with the same DN and without renewal of the Key Pair.

A Certificate may be renewed when it is about to expire and if the cryptographic algorithm used for the Key is confirmed by SECOM to be secure as of the renewal.

4.6.2 Who May Request Renewal

The provisions of "4.1.1 Who Can Submit a Certificate Application" hereof shall apply.

Security Communication RootCA Subordinate CA Certificate Policy Ver.5.14

4.6.3 Processing Certificate Renewal Requests The provisions of "4.2 Certificate Application Processing" hereof shall apply.

4.6.4 Notification of New Certificate Issuance to Subscriber The provisions of "4.3.2 Notifications to Subscriber of Certificate Issuance" hereof shall apply.

4.6.5 Conduct Constituting Acceptance of a Renewal Certificate The provisions of "4.4.1 Conduct Constituting Certificate Acceptance" hereof shall apply.

4.6.6 Publication of the Renewal Certificates by the CA The provisions of "4.4.2 Publication of the Certificate by the CA" hereof shall apply.

4.6.7 Notification of Certificate Issuance by the CA to Other Entities The provisions of "4.4.3 Notification of Certificate Issuance by the CA to Other Entities" hereof shall apply.

4.7 Certificate Re-Key

4.7.1 Circumstances for Certificate Re-Key A Certificate is Re-Keyed when the validity period of the Certificate is about to expire or when the Certificate is revoked due to the key compromise.

4.7.2 Who May Request Certification of a New Public Key The provisions of "4.1.1 Who Can Submit a Certificate Application" hereof shall apply.

4.7.3 Processing Certificate Re-Keying Requests The provisions of "4.2 Certificate Application Processing" hereof shall apply.

4.7.4 Notification of New Certificate Issuance to Subscriber The provisions of "4.3.2 Notifications to Subscriber of Certificate Issuance" hereof shall apply.

4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate The provisions of "4.4.1 Conduct Constituting Certificate Acceptance" hereof shall apply.

4.7.6 Publication of the Re-Keyed Certificate by the CA The provisions of "4.4.2 Publication of the Certificate by the CA" hereof shall apply. 4.7.7 Notification of Certificate Issuance by the CA to Other Entities The provisions of "4.4.3 Notification of Certificate Issuance by the CA to Other Entities" hereof shall apply.

4.8 Certificate Modification

4.8.1 Circumstances for Certificate Modification

If any of the descriptions in a Certificate has to be modified, the Subscriber must promptly submit a Certificate Modification application. Procedures for the revocation and initial issuance shall be followed as the procedure for re-issuance by the modification.

4.8.2 Who May Request Certificate Modification The provisions of "4.9.2 Who Can Request Revocation" and "4.1.1 Who Can Submit a Certificate Application" hereof shall apply.

4.8.3 Processing Certificate Modification Requests The provisions of "4.9.3 Procedure for Revocation Request" and "4.2 Certificate Application Processing" hereof shall apply.

4.8.4 Notification of New Certificate Issuance to Subscriber The provisions of "4.3.2 Notifications to Subscriber of Certificate Issuance" hereof shall apply.

4.8.5 Conduct Constituting Acceptance of Modified Certificate The provisions of "4.4.1 Conduct Constituting Certificate Acceptance" hereof shall apply.

4.8.6 Publication of the Modified Certificate by the CA The provisions of "4.4.2 Publication of the Certificate by the CA" hereof shall apply.

4.8.7 Notification of Certificate Issuance by the CA to Other Entities The provisions of "4.4.3 Notification of Certificate Issuance by the CA to Other Entities" hereof shall apply.

4.9 Certificate Revocation and Suspension

4.9.1 Circumstances for Certificate Revocation

Subscribers may request a Certificate Revocation based on their own decisions, provided that they must always request the revocation to the CAs in any of the following cases:

- There has been a change in information populated in the Certificate;
- the Private Key has or may have been compromised or no longer reliable for any reason, including the theft, loss, unauthorized disclosure or unauthorized use thereof;
- the Private Key has or may have been compromised to have lost the privacy or confidentiality;
- the Certificate is incorrectly populated or not being used for authorized purposes; or
- the use of the Certificate is being terminated.

The CAs may revoke the Certificate with or without the Subscriber's revocation request when the CAs are aware of the following situations:

- the Subscriber is not performing the obligations thereof under this CP, the CPS, relevant agreements or laws;
- SECOM terminates the Services;
- it is determined that the CA Private Key has or could have been compromised; or
- the CAs recognize any other situation deemed to necessitate revocation.

#### 4.9.2 Who Can Request Revocation

Certificate Revocation can be requested by representatives, employees or agents of the applicant organizations or institutions.

#### 4.9.3 Procedure for Revocation Request

Certificate Revocation Request shall be submitted by sending (post-mailing) the information required for the revocation to the CAs. However, e-mail submission is allowed as an alternative in an emergency or when the said submission option is not available.

#### 4.9.4 Revocation Request Grace Period

Revocation Requests due to other than Private Key compromise shall be submitted to the CAs five (5) operational days prior to the desired revocation date. However, should a Subscriber determine that a Private Key has or could have been compromised, the Subscriber must promptly make a revocation request after identifying the compromise.

4.9.5 Time within Which CA Shall Process the Revocation Request

The CAs promptly revoke a Certificate upon accepting a valid Certificate Revocation Request.

#### 4.9.6 Revocation Checking Requirements for Relying Parties

Before placing trust and using a Certificate issued by the CAs, Relying Parties must confirm that the Certificate has not been revoked by checking the CRLs or the OCSP server.

4.9.7 CRL Issuance Frequency

A new CRL is issued within a year from the latest CRL issuance as well as when a Certificate issuance or revocation is made.

4.9.8 Maximum Latency for CRLs

A new CRL is promptly issued upon issuance or revocation of a Certificate and is published in the Repository.

4.9.9 On-Line Revocation/Status Checking Availability Certificate status information is provided online via the OCSP server.

4.9.10 On-Line Revocation/Status Checking Requirements

Before placing trust and using a Certificate issued by the CAs, Relying Parties must confirm the validity of the Certificate. If registered revocation is not confirmed with the CRL in the Repository, the Certificate Status provided through the OCSP server shall be checked.

4.9.11 Other Forms of Revocation Advertisements Available No stipulation

4.9.12 Special Requirements Regarding Key Compromise No stipulation

4.9.13 Circumstances for Suspension The CAs will not suspend Certificates.

4.9.14 Who Can Request Suspension No stipulation

4.9.15 Procedure for Suspension Request No stipulation

4.9.16 Limits on Suspension Period No stipulation

4.10 Certificate Status Services

4.10.1 Operational Characteristics

Certificate status is available to Subscribers and Relying Parties for confirmation through the OCSP server.

4.10.2 Service Availability

The CAs maintain and manage the OCSP server in order to allow 24x7 access to the Certificate status for confirmation. However, the OCSP server may not be available temporarily at times due to maintenance or for any other reason.

4.10.3 Optional Features No stipulation

4.11 End of Subscription (Registry)

In terminating subscription of the Services, Subscribers are required to proceed with the service subscription termination procedure set forth in the relevant agreement therefor or the like.

4.12 Key Escrow and Recovery

4.12.1 Key Escrow and Recovery Policy and Practices The CAs will not Escrow the CA Private Keys.

4.12.2 Session Key Encapsulation and Recovery Policy and Practices No stipulation 5. Facility, Management, and Operational Controls

5.1 Physical Controls Stipulated in the CPS.

5.2 Procedural Controls Stipulated in the CPS.

5.3 Personnel Controls Stipulated in the CPS.

5.4 Audit Logging Procedures Stipulated in the CPS.

5.5 Records Archival Stipulated in the CPS.

5.6 Key Changeover Stipulated in the CPS.

5.7 Compromise and Disaster Recovery Stipulated in the CPS.

5.8 CA or RA Termination Stipulated in the CPS.

6. Technical Security Controls

6.1 Key Pair Generation and Installation Stipulated in the CPS.

6.2 Private Key Protection and Cryptographic Module Engineering Controls Stipulated in the CPS.

6.3 Other Aspects of Key Pair Management Stipulated in the CPS.

6.4 Activation Data Stipulated in the CPS.

6.5 Computer Security Controls Stipulated in the CPS.

6.6 Life-Cycle Technical Controls Stipulated in the CPS.

6.7 Network Security Controls Stipulated in the CPS.

6.8 Time-Stamping Stipulated in the CPS.

# 7. Certificate, CRL, and OCSP Profiles

# 7.1 Certificate Profile

Certificates issued by the CAs are generated in the X.509 Certificate Format, using the fields as follows.

Field	Description
Version	Certificate Format Number *1
(Version number)	
SerialNumber	Unique numbers across the CAs *2
(Serial number)	
Signature	Identifier of the Digital Signature
(Digital Signature algorithm identifier)	algorithm used in the Services *3
Issuer	Information about the issuer
(Name of the issuer)	(specified by the CAs)
Validity	Operational or validity period of the
(Operational/validity period)	Certificate
	(From/to dates)
Subject	Subscriber information
(Name of the Subscriber)	
SubjectPublicKeyInfo	The Public Key algorithm identifier and
(Information of the Subscriber Public Key)	the Public Key data of the Subscriber
Extensions	See "7.1.2 Certificate Extensions" hereof.
(Extension fields)	

\*1 The Certificate format number is set to Version3.

- \*2 Appended by a CA server when a Certificate is newly created.
- \*3 Used when digitally signing a Certificate.

#### 7.1.1 Version Number(s)

The X.509 Format version number of Certificates issued by the CAs is Version3.

# 7.1.2 Certificate Extensions

Certificates issued by the CAs use the X.509 Certificate Extension fields specified in Tables "7.1-2 Security Communication RootCA1 Subordinate CA Certificate

Field	Description
authorityKeyIdentifier	A 160-bit SHA-1 hash for CA Public Key
(2.5.29.35)	
subjectKeyIdentifier	A 160-bit SHA-1 hash for Subscriber Public Key
(2.5.29.14)	
keyUsage	keyCertSign, cRLSign (Usage purpose of Subscriber Public
(2.5.29.15)	Key)
extendedKeyUsage	(To be specified by the CAs as necessary)
(2.5.29.37)	
certificatePolicies	certPolicyId=[1.2.392.200091.100.901.1] or [any Policy]

Table 7.1-2 Security Communication RootCA1 Subordinate CA Certificate Extensions

Field	Description
(2.5.29.32)	policyQualifierID=id-qt-cps any Policy qualifier=CPS=https://repository.secomtrust.net/SC-Root1/
basicConstraints (2.5.29.19)	Subject Type=CA pathLenConstraints (To be specified by the CAs as necessary)
cRLDistributionPoints (2.5.29.31)	URI:http://repository.secomtrust.net/SC-Root1/ SCRoot1CRL.crl (CRL distribution location in the directory)
Authority Information Access(1.3.6.1.5.5.7.1.1)	OCSP - URI:http://scrootca1.ocsp.secomtrust.net (OCSP server's access address)

Table 7.1-3 Security Communication RootCA1 OCSP Server Certificate Extensions

Field	Description
authorityKeyIdentifier (2.5.29.35)	A 160-bit SHA-1 hash for CA Public Key
subjectKeyIdentifier (2.5.29.14)	A 160-bit SHA-1 hash for Subscriber Public Key
keyUsage (2.5.29.15)	digitalSignature (Usage purpose of Subscriber Public Key)
extendedKeyUsage (2.5.29.37)	OCSPSigning
OCSP No Check (1.3.6.1.5.5.7.48.1.5)	null
certificatePolicies (2.5.29.32)	certPolicyId=1.2.392.200091.100.901.1 policyQualifierID=id-qt-cps qualifier=CPS=https://repository.secomtrust.net/SC-Root1/

Field	Description	
authorityKeyIdentifier (2.5.29.35)	A 160-bit SHA-1 hash for CA Public Key	
subjectKeyIdentifier (2.5.29.14)	A 160-bit SHA-1 hash for Subscriber Public Key	
keyUsage (2.5.29.15)	keyCertSign, cRLSign (Usage purpose of Subscriber Public Key)	
extendedKeyUsage (2.5.29.37)	(To be specified by the CAs as necessary)	
certificatePolicies (2.5.29.32)	certPolicyId=[1.2.392.200091.100.901.4] [1.2.392.200091.100.721.1] or [any Policy]*1 policyQualifierID=id-qt-cps qualifier=CPS=https://repository.secomtrust.net/SC-Root2/	
basicConstraints (2.5.29.19)	Subject Type=CA pathLenConstraints (To be specified by the CAs as necessary)	
cRLDistributionPoints (2.5.29.31)	URI:http://repository.secomtrust.net/SC-Root2/ SCRoot2CRL.crl (CRL distribution location in the directory)	
Authority Information Access(1.3.6.1.5.5.7.1.1)	OCSP - URI:http://scrootca2.ocsp.secomtrust.net (OCSP server's access address)	

Table 7.1-4 Security Communication RootCA2 Subordinate CA Certificate Extensions

\*1 When issuing an EV certificate, there may be a case that an OID for the EV certificate (1.2.392.200091.100.721.1) be set.

Field	Description
authorityKeyIdentifier (2.5.29.35)	A 160-bit SHA-1 hash for CA Public Key
subjectKeyIdentifier (2.5.29.14)	A 160-bit SHA-1 hash for Subscriber Public Key
keyUsage (2.5.29.15)	digitalSignature (Usage purpose of Subscriber Public Key)
extendedKeyUsage (2.5.29.37)	OCSPSigning
OCSP No Check (1.3.6.1.5.5.7.48.1.5)	null
certificatePolicies (2.5.29.32)	certPolicyId=1.2.392.200091.100.901.4 policyQualifierID=id-qt-cps qualifier=CPS=https://repository.secomtrust.net/SC-Root2/

Table 7.1-5 Security Communication RootCA2 OCSP Server Certificate Extensions

Field	Description	
authorityKeyIdentifier (2.5.29.35)	A 160-bit SHA-1 hash for CA Public Key	
subjectKeyIdentifier (2.5.29.14)	A 160-bit SHA-1 hash for Subscriber Public Key	
keyUsage (2.5.29.15)	keyCertSign, cRLSign (Usage purpose of Subscriber Public Key)	
extendedKeyUsage (2.5.29.37)	(To be specified by the CAs as necessary)	
certificatePolicies	certPolicyId=[1.2.392.200091.100.901.6]	
(2.5.29.32)	[1.2.392.200091.100.721.1] or [any Policy]*1	
	policyQualifierID=id-qt-cps	
	qualifier=CPS=https://repository.secomtrust.net/SC-Root3/	
basicConstraints	Subject Type=CA	
(2.5.29.19)	pathLenConstraints (To be specified by the CAs as	
	necessary)	
cRLDistributionPoints	URI:http://repository.secomtrust.net/SC-Root3/	
(2.5.29.31)	SCRoot3CRL.crl (CRL distribution location in the directory)	
Authority Information	OCSP - URI:http://scrootca3.ocsp.secomtrust.net (OCSP	
Access(1.3.6.1.5.5.7.1.1)	server's access address)	

Table 7.1-6 Security Communication RootCA3 Subordinate CA Certificate Extensions

\*1 When issuing an EV certificate, there may be a case that an OID for the EV certificate (1.2.392.200091.100.721.1) be set.

Field	Description
authorityKeyIdentifier (2.5.29.35)	A 160-bit SHA-1 hash for CA Public Key
subjectKeyIdentifier (2.5.29.14)	A 160-bit SHA-1 hash for Subscriber Public Key
keyUsage (2.5.29.15)	digitalSignature (Usage purpose of Subscriber Public Key)
extendedKeyUsage (2.5.29.37)	OCSPSigning
OCSP No Check (1.3.6.1.5.5.7.48.1.5)	null
certificatePolicies (2.5.29.32)	certPolicyId=1.2.392.200091.100.901.6 policyQualifierID=id-qt-cps qualifier=CPS=https://repository.secomtrust.net/SC-Root3/

Table 7.1-7 Security Communication RootCA3 OCSP Server Certificate Extensions

Extensions		
Field	Description	
authorityKeyIdentifier (2.5.29.35)	A 160-bit SHA-1 hash for CA Public Key	
subjectKeyIdentifier (2.5.29.14)	A 160-bit SHA-1 hash for Subscriber Public Key	
keyUsage (2.5.29.15)	keyCertSign, cRLSign (Usage purpose of Subscriber Public Key)	
extendedKeyUsage (2.5.29.37)	(To be specified by the CAs as necessary)	
certificatePolicies (2.5.29.32)	certPolicyId=[1.2.392.200091.100.902.1]	
	[1.2.392.200091.100.721.1] or [any Policy]*1	
	policyQualifierID=id-qt-cps	
	qualifier=CPS=https://repository.secomtrust.net/SC-ECC-R	
	oot1/	
basicConstraints	Subject Type=CA	
(2.5.29.19)	pathLenConstraints (To be specified by the CAs as	
	necessary)	
cRLDistributionPoints (2.5.29.31)	URI:http://repository.secomtrust.net/SC-ECC-Root1/	
	SCECCRoot1CRL.crl (CRL distribution location in the	
	directory)	
Authority Information Access(1.3.6.1.5.5.7.1.1)	OCSP - URI:http://sceccrootca1.ocsp.secomtrust.net (OCSP	
	server's access address)	

\*1 When issuing an EV certificate, there may be a case that an OID for the EV certificate (1.2.392.200091.100.721.1) be set.

	Extensions
Field	Description
authorityKeyIdentifier (2.5.29.35)	A 160-bit SHA-1 hash for CA Public Key
subjectKeyIdentifier (2.5.29.14)	A 160-bit SHA-1 hash for Subscriber Public Key
keyUsage (2.5.29.15)	digitalSignature (Usage purpose of Subscriber Public Key)
extendedKeyUsage (2.5.29.37)	OCSPSigning
OCSP No Check (1.3.6.1.5.5.7.48.1.5)	null
certificatePolicies (2.5.29.32)	certPolicyId=1.2.392.200091.100.902.1 policyQualifierID=id-qt-cps
	qualifier=CPS=https://repository.secomtrust.net/SC-ECC-R
	oot1/

Table 7.1-9 Security Communication ECC RootCA1 OCSP Server Certificate Extensions

# 7.1.3 Algorithm Object Identifiers

The Algorithm OIDs used in the Services are as follows:.

Table 7.1 To becurity communication nootorit ingoritimi orbs	
Algorithm	OID
sha1 With RSA Encryption	$1\ 2\ 840\ 113549\ 1\ 1\ 5$
sha256 With RSA Encryption	1.2.840.113549.1.1.11
RSA Encryption	1 2 840 113549 1 1 1

# Table 7.1-10 Security Communication RootCA1 Algorithm OIDs

## Table 7.1-11 Security Communication RootCA2 Algorithm OIDs

Algorithm	OID
sha256 With RSA Encryption	1.2.840.113549.1.1.11
RSA Encryption	$1\ 2\ 840\ 113549\ 1\ 1\ 1$

#### Table 7.1-12 Security Communication RootCA3 Algorithm OIDs

Algorithm	OID
sha384 With RSA Encryption	1.2.840.113549.1.1.12
RSA Encryption	$1\ 2\ 840\ 113549\ 1\ 1\ 1$

## Table 7.1-13 Security Communication ECC RootCA1 Algorithm OIDs

Algorithm	OID
ecdsa-with-SHA384	1.2.840.10045.4.3.3
ecPublicKey	1.2.840.10045.2.1
secp384r1	1.3.132.0.34

# 7.1.4 Name Forms

The CAs and the Subscribers are uniquely identified by the DNs defined conforming to the X.500 Distinguished Name. Valid characters are specified in Table "7.1-14 Valid Characters".

Alphabets	Numbers	Symbols
[A] through [Z], [a] through [z]	[0] through [9]	[-], [.], and [blank]

7.1.5 Name Constraints

To be specified by the CAs as necessary.

7.1.6 Certificate Policy Object Identifier

Policy OID of the Certificates issued by the CA are as indicated in the Table "1.2-2 OID (This CP)".

7.1.7 Usage of Policy Constraints Extension No stipulation

7.1.8 Policy Qualifiers Syntax and Semantics

Policy Qualifiers store the URL of the web pages on which this CP and the CPS are published.

7.1.9 Processing Semantics for the Critical Certificate Policies Extension No stipulation

## 7.2 CRL Profile

CRLs issued by the CAs are generated in the X.509 CRL Format, using the fields specified in Table 7.2-1 Basic CRL Profile Fields.

Field	Description
Version	CRL Format Number *1
(Version number)	
Signature	Identifier of the Digital Signature
(Digital Signature algorithm identifier)	algorithm used by the CAs *2
Issuer	Information about the issuer
(Name of the issuer)	(specified by the CAs)
ThisUpdate	Date of CRL issuance
(Date of update)	
NextUpdate	Date of next CRL update
(Date of next update)	
RevokedCertificates	Information about the revoked
(CRL)	Certificates;
	SerialNumber (serial number); and
	RevocationDate (date of revocation)
	shall be specified.

Table	7 2-1	Basic	CRL	Profile	Fields
rabic	1.4 L	Dable	OIUL	I I UIIIC	I ICIUS

\*1 The CRL format number is set to Version2.

\*2 Used when digitally signing a CRL.

## 7.2.1 Version Number(s)

The X.509 Format version number of CRLs issued by the CAs is Version2.

# 7.2.2 CRL and CRL Entry Extensions

The CRLs issued by the CAs use the X.509 CRL Extension field specified in the Table "7.2-2 CRL Extension".

Field	Description	
AuthorityKeyIdentifier (CA Key identifier)	A 160-bit SHA-1 hash for CA Public Key	

#### Table 7.2-2 CRL Extension

#### 7.3 OCSP Profile

The CAs operates the OCSP server in compliance with RFC2560 and 5019.

7.3.1 Version Number(s) The CA uses OCSP Version 1.

7.3.2 OCSP Extensions No stipulation

## 8 Compliance Audit and Other Assessments

8.1 Frequency and Circumstances of Assessment Stipulated in the CPS.

8.2 Identity/Qualifications of Assessor Stipulated in the CPS.

8.3 Assessor's Relationship to Assessed Entity Stipulated in the CPS.

8.4 Topics Covered by Assessment Stipulated in the CPS.

8.5 Actions Taken as a Result of Deficiency Stipulated in the CPS.

8.6 Communication of Results Stipulated in the CPS.

9. Other Business and Legal Matters

9.1 Fees

9.1.1 Certificate Issuance or Renewal Fees The fee schedule is set forth in separate agreements.

9.1.2 Certificate Access Fees No stipulation

9.1.3 Revocation or Status Information Access Fees No stipulation

9.1.4 Fees for Other Services No stipulation

9.1.5 Refund Policy No stipulation

9.2 Financial Responsibility

9.2.1 Insurance Coverage SECOM shall maintain adequate financial resources to be separately stipulated for provision of the Services.

9.2.2 Other Assets No stipulation

9.2.3 Insurance or Warranty Coverage for End-Entities The provisions of "9.2.1 Insurance Coverage" hereof shall apply.

9.3 Confidentiality of Business Information

#### 9.3.1 Scope of Confidential Information

Information on individuals and organizations in the possession of SECOM as the CAs are subject to confidentiality with the exception of those that were explicitly published as a part of a Certificate, a CRL, this CP, or the CPS. SECOM does not disclose such information externally unless it is required by law or there is a prior consent of the relevant Subscriber. SECOM may disclose the information subject to confidentiality to a legal counsel or a financial adviser who provides advice in connection with such legal,

judicial, administrative or other procedures required by law. It may also disclose information subject to confidentiality to an attorney, an accountant, a legal institution or any other specialist who provides advice on corporate mergers, acquisitions or restructuring.

Subscriber Private Keys are deemed to be information to be kept confidential by the Subscriber's own responsibility. The Services in no circumstances provide access to these Keys.

Information contained in Audit Log and the Audit Reports themselves are subject to the confidentiality and within the Scope of Confidential Information. SECOM will not disclose such information to any external party in other situation than a case stipulated in "8.6 Communication of Results" of the CPS or unless it is required by law.

9.3.2 Information Not Within the Scope of Confidential Information

Information populated in Certificates and CRLs is not considered confidential. In addition, the following information shall not be subject to the confidentiality provisions herein:

- Information that is or came to be known through no fault of SECOM;
- information that was or is made known to SECOM by a party other than SECOM without confidentiality requirements;
- information independently developed by SECOM; or
- information approved for disclosure by the relevant Subscriber.

#### 9.3.3 Responsibility to Protect Confidential Information

SECOM may disclose confidential information retained as the CAs when required by law or there is a prior consent of the relevant Subscriber. In the event of the foregoing, the party having come to acquire the information may not disclose said information to a third party due to contractual or legal constraints.

#### 9.4 Privacy of Personal Information

Personal Information acquired by the CAs is treated as confidential as set forth in "9.3 Confidentiality of Business Information". The CAs conform to laws and regulations pertaining to Personal Information and to the Privacy Policy that SECOM discloses in public.

#### 9.5 Intellectual Property Rights

Unless otherwise agreed to between SECOM and Subscribers, the following informative materials and data pertaining to the Services shall belong to the parties specified as below:

Subscriber	An asset belonging to SECOM
Certificate	
CRL	An asset belonging to SECOM
Distinguished	An asset belonging to an entity to which the Name is assigned
Name (DN)	as long as the fee for the Subscriber Certificate is properly paid
Subscriber	An asset belonging the possessor of the Private Key that
Private Key	completes a Key Pair with the Public Key, regardless of how it
	is stored or who possesses the storage medium
Subscriber	An asset belonging the possessor of the Private Key that
Public Key	completes a Key Pair, regardless of how it is stored or who
	possesses the storage medium
This CP and the	An asset (including the copyrights) belonging to SECOM
CPS	

9.6 Representations and Warranties

## 9.6.1 CA Representations and Warranties

SECOM provides certification services including authentication of Subscribers and registration/issuance/revocation of Certificates conforming to the provisions of this CP and the CPS, and secures the reliability of the certification practice including that of the CA Private Keys.

The foregoing warranties by SECOM set forth in this CP and the CPS are in lieu of all other warranties, express or implied, or otherwise.

#### 9.6.2 RA Representations and Warranties

The provisions of "9.6.1 CA Representations and Warranties" hereof shall apply.

#### 9.6.3 Subscriber Representations and Warranties

Subscribers to the CAs shall bear obligations to:

- Provide the CAs with as accurate and complete information as possible that Subscribers may know of and promptly notify the CAs of any change in the information provided therein;
- protect their own Private Keys from being compromised;
- restrict the Certificate usage to those set forth in this CP and the CPS without violating any laws and regulations; and
- promptly request the CAs to revoke the Subscriber Certificate in case the Subscriber determines that the Private Key corresponding to the Public Key indicated therein has or may have been compromised, or there has been a change in the registered information.

9.6.4 Relying Party Representations and Warranties

Relying Parties of the CA Services shall bear obligations to:

- Trust Certificates issued by the CAs for use with the intended usage purposes of the CAs set forth in this CP and the CPS;
- ensure that the Certificate has not been revoked by checking the CRLs in the Repository or the OCSP server in attempting to trust the Certificate;
- check the validity period of the Certificate to ensure that it has not expired in attempting to trust the Certificate;
- ensure that the Certificate signature can be authenticated by the CA Certificate in attempting to trust the Certificate issued by the CAs; and
- agree to bear responsibility as the Relying Party defined in this CP and the CPS in trusting and using the CA Certificates.

# 9.6.5 Representations and Warranties of Other Participants No stipulation

# 9.7 Disclaimers of Warranties

SECOM is not liable for any direct, special, incidental or consequential damages arising in connection with the warranties stipulated in "9.6.1 CA Representations and Warranties" and "9.6.2 RA Representations and Warranties" hereof, or for lost earnings, loss of data, or any other indirect or consequential damages.

# 9.8 Limitations of Liability

SECOM is not liable for the provisions of "9.6.1 CA Representations and Warranties" and "9.6.2 RA Representations and Warranties" hereof in any of the following cases:

- Any damage arising from unlawful conduct, unauthorized use, negligence or any other cause not attributable to SECOM;
- any damage attributable to the failure of a Subscriber or Relying Party to perform its obligations;
- any damage attributable to a Subscriber or Relying Party system;
- damages attributable to the defect or malfunction or any other behavior of SECOM's, Subscriber's, or Relying Party's hardware or software;
- any damage during the period that a Subscriber neglected to pay the subscription fee as set forth in the agreement thereof;
- damages caused by information published in a Certificate, a CRL or on the OCSP server due to the reasons not attributable to SECOM;
- any damage incurred in an outage of the normal communication due to reasons not attributable to SECOM;
- any damage arising in connection with the use of a Certificate, including transaction debts;

- damages attributable to improvement, beyond expectations at this point in time, in hardware or software type of cryptographic algorithm decoding skills; and
- any damage attributable to the suspension of the CA Services, including that of the CAs, due to force majeure, including, but not limited to, natural disasters, earthquakes, volcanic eruptions, fires, tsunami, floods, lightning strikes, wars, civil commotion and terrorism.

# 9.9 Indemnities

Each Subscriber and Relying Party shall indemnify and hold harmless SECOM and its related organizations upon applying for, accepting, and trusting Certificates issued by the CAs. Incidents subject to the foregoing include loss, damage, lawsuit, as well as misconduct, omission, act, delay or default that are attributable to any kinds of cost burden, which could have been caused by failure of the Subscriber to provide the latest and accurate information to the CAs. Such incidents also include various liabilities, loss, damage, lawsuit, as well as misconduct, omission, act, delay or default that are attributable to any kinds of cost burden.

## 9.10 Term and Termination

## 9.10.1 Term

This CP goes into effect upon approval by the Certification Services Improvement Committee. This CP will in no way lose effect under any circumstances prior to the termination stipulated in "9.10.2 Termination" hereof.

# 9.10.2 Termination

This CP loses effect as of the termination hereof by SECOM with the exception of the provisions stipulated in "9.10.3 Effect of Termination and Survival".

# 9.10.3 Effect of Termination and Survival

Even in the event of termination of the use of a Certificate by a Subscriber or the termination of a service provided by SECOM, provisions that should remain in effect, due to the nature thereof, shall survive any such termination, regardless of the reasons therefor, and remain in full force and effect with respect to any Subscriber and the CAs.

#### 9.11 Individual Notices and Communications with Participants

The CAs provide the necessary notices to Subscribers and Relying Parties through e-mail or in other written forms.

## 9.12 Amendments

## 9.12.1 Procedure for Amendment

## (1) Critical revisions/amendments

SECOM notifies Subscribers and Relying Parties of amendments of this CP if the amendments thereof are determined to have an obvious impact on the activities for use of Certificates or CRLs by the Subscribers and Relying Parties, by publishing the post-amendment version of this CP (including the Version History/Description/Date) in the Repository, while refreshing the Major Version Number.

# (2) Non-critical revisions/amendments

SECOM notifies Subscribers and Relying Parties of amendments of this CP if the amendments thereof are determined to have no or less impact on the activities for use of Certificates or CRLs by the Subscribers and Relying Parties, by publishing the post-amendment version of this CP (including the Version History/Description/Date) in the Repository, while refreshing the Minor Version Number.

# 9.12.2 Notification Mechanism and Period

If this CP is revised/amended, the prompt publication of the post-amendment version of this CP (including the Version History/Description/Date) in the Repository is deemed to be the notification thereof to Subscribers and Relying Parties. Subscribers may make claims within a week of such notification, while the post-amendment version of this CP is deemed to be approved by the Subscribers unless any claim is made within the said period.

9.12.3 Circumstances under Which OID Must Be Changed No stipulation

#### 9.13 Dispute Resolution Provisions

A party seeking to file a lawsuit, request arbitration, or take any other legal action against SECOM for the resolution of a dispute relating to the Services provided by the CAs, shall notify SECOM to this effect in advance.

# 9.14 Governing Law

Regardless of the locations of the CAs, Subscribers, or Relying Parties, the laws of Japan will apply to any dispute concerning the interpretation or validity of this CP and the CPS. Regarding the location for arbitration and court proceedings, the parties hereto submit to the exclusive jurisdiction of a dispute settlement institution located within Tokyo.

## 9.15 Compliance with Applicable Law

The CA shall handle cryptographic hardware and software in compliance with relevant export regulations of Japan.

9.16 Miscellaneous Provisions

## 9.16.1 Entire Agreement

SECOM comprehensively stipulates its policy, warranties as well as the Subscriber and Relying Party obligations and other relevant matters in this CP, the CPS and the agreements for provision of the Services, and any agreement otherwise, whether oral, written, or implied, shall have no effect.

## 9.16.2 Assignment

When SECOM assigns the Services to a third party, SECOM may also assign its responsibilities and other obligations specified in this CP and the CPS.

## 9.16.3 Severability

Even if any provision of this CP or the CPS is deemed invalid, all other provisions stipulated therein shall remain in full force and effect.

9.16.4 Enforcement No stipulation

9.16.5 Force Majeure No stipulation

9.17 Other Provisions No stipulation